




Simon|400

Simon|K45

FLASH

simon







NEW WORKSPACES

In recent years, workspaces have **evolved** from desks lined up in cubicles to open environments that **democratise space** and put **people** at the centre.

In a world in constant technological transformation, the real value comes from these changes: workers' motivation and productivity grow through **collaboration** and the **exchange** of ideas, thus strengthening relationships between teams.

Following the impact of COVID, workspaces have integrated **elements of the home** to make daily life more comfortable and **welcoming**. To encourage people to get back into the office, working environments have been reorganised, with a focus on **flexibility** and promoting **mobility** between different areas.

Workspaces have been reorganised, favouring **flexibility** and promoting **mobility**.





A **flexible** design, with **mobile furniture**, is crucial for adapting to **different needs**.


Workspaces have evolved into **open environments** that encourage interaction and yield valuable new ideas. Flexible design is key to adapting to different tasks and equipment, allowing space to be easily rearranged with mobile furniture.

Passageways now take centre stage thanks to more diverse furniture. From **sofas** and **informal meeting** areas that foster creativity, to private **booths** for video calls or moments of concentration. Quiet spaces are also equipped with **armchairs** designed for reflection and productivity. Well-being at work is crucial. That's why we've incorporated **rest** and **relaxation** areas, to reduce fatigue and improve quality of life. Spaces where breaks not only reenergise, but can also foster new ideas and collaborations.

A well-designed work environment motivates people and drives company growth.



Simon, in harmony with transforming workspaces, **is expanding its collection of furniture solutions** to adapt to new needs. The proposal includes various connectivity options for **open space stations**, **electrification systems for auxiliary furniture** and **specific solutions for soft seating**. All of them boast a compact design and a neat appearance.



The circular design optimises space, integrating naturally into the furniture and work area, avoiding interference and improving the user experience.

SOLUTIONS FOR ALL SPACES

There are **three sizes in the collection** according to the workspace that needs to be electrified:



Flash 90

designed for new **open-plan workspaces** (such as island, hot-desking or co-working) and **conventional workstations** as it covers the most important connection needs in the smallest space.



Flash 60

designed for electrifying **open workspaces** and **auxiliary furniture** (collaborative spaces, informal meeting rooms, booths, agoras) via **USB connection points with different functionalities**.



Flash 30

designed for electrifying **soft seating** or **furniture** (meeting rooms, booths, tables), **taking up a minimum of space**.





APPLICATIONS AND FUNCTIONALITY



Offices

Flash 90 **serves the main needs** of workstation connectivity in the **smallest space**.



Auditoriums

Flash 60 offers electrification of the furniture with individual **sockets** and **USB connection for charging or full connectivity**.



Meeting rooms

Flash 30 features **USB charging up to 100 W** and **all-in-one workplace solution** with a single USB Type-C connector while taking up minimal space.



Educational centres

Flash 90 integrates the need for power, **USB laptop charging** and **all-round workplace solution** into a small enclosure.



Hotels

Flash 60 allows users to electrify furniture, either main or auxiliary (booths, agoras), via **individual socket outlets** and **USB connection points** with different functionalities.



Homes

Flash 30 boasts **various USB charging options** in a small enclosure for integration into furniture or soft seating.








Smart charging

The models that incorporate USB charging include the **most common charging protocols** (Fast Charge, Power Delivery...) to communicate with the device for charging and reduce charging time. The range is available with various load intensities, **offering up to 100 W**.



Charging without wiring

The range includes a model to charge your device wirelessly* without the need for a cable. Ideal for meeting rooms or public areas with large personnel flows, such as waiting rooms, etc.



*Requires the device for charging to be compatible with this wireless charging system

PRODUCT COLLECTION



Flash 90



Flash 60



Flash 30

TECHNICAL FEATURES



It's compatible with the most common furniture thicknesses (8-47 mm) and is fixed with metal claws to make the whole **more robust** and **resistant**. Additionally, every element in the product has been manufactured using **high-strength materials**, for a more durable and resistant grip.



It incorporates a **drainage system** in the socket outlet, designed to remove any liquid that may have entered due to an accidental drop, preventing it from accumulating and eventually **restoring the device's functionality**.



You can install this into the furniture quickly thanks to its circular shape, sized so you can cut it with **standard diameter crowns**.



Compatible with **CNC technology** to allow a fully flush finish.



The components are connected externally at the bottom, making maintaining, repairing and upgrading the product easy.

There are versions that include access for regular wiring (keyboard, mouse, screen, data, etc.), so the workstation can be subsequently modified.



The product's interior design allows for the **best transmission of data and multimedia connections** thanks to the optimal bending radius of the cabling.

CONFIGURED SOLUTIONS



The product collection boasts a **range of configurations** to meet various needs.



Minimalist design

Retractable cover on the Schuko and Franco-Belgian electric socket outlet versions of the S400, providing a **cleaner appearance, preventing dust** and small particles from settling at the bottom of the socket outlet, making it easier to clean.



Global Projects

Electrical socket outlet available with the most in demand **international** figures (Schuko, French, British, Danish, Swiss, Italian, Israeli and so on) **ideal for global projects** which require a uniform appearance.



Single connector

USB Type-C charging up to 100 W and full connectivity (via a hidden mini-dock) via **a single USB Type-C connector**, to **reduce the amount of visible wiring on the desk**.

CUSTOMISABLE SOLUTIONS



During product development, designers considered the possibility of customising certain components to suit the customer's needs.

Furthermore, thanks to the connections being placed outside the enclosure the components can be replaced or repaired easily for improved performance.

Using the figure of the USB Type-C connector allows you to customise the type of use of the connector or the possibility of choosing between different charging models (20 W, 100 W, etc.) or the use of all-in-one workplace solution.



We offer the possibility to customise the product when specific data or multimedia connectors are required through our range of available connectors (HDMI, DisplayPort, USB-A and C, RJ45, etc.) or any other type of connector incorporating the Keystone snap-fit system.



As the USB Type-C connector has various uses, we offer the possibility to customise the quantity (one or two units) and type of product (USB charging or full connectivity), allowing you to choose different charging intensities (20 W, 100 W, and so on).

ADVANCED WORKPLACE SOLUTION WITH INTEGRATED MINI-DOCK

The evolution of flexible working demands versatile and adaptable solutions. That's why the Flash range incorporates a mini-dock, a compact device that **provides any workstation with full connectivity.**


Its integration lets users connect various devices **without worrying about compatibility or infrastructure changes.**

The mini-dock acts as a universal USB-C hub, providing **data transmission, charging, USB device connectivity and projection with a single connection.** It's compatible with various brands and operating systems, providing users with a smooth and hassle-free experience.



Maximum performance with the right connection

The USB-C port can have different functionalities (data transmission, charging, projection, etc.), so **it's crucial to make sure that the device connected to the mini-dock has the lightning symbol**, which guarantees full functionality.



Universal connectivity for a flexible office

The mini-dock **is compatible with most computer manufacturers with a USB-C port**, such as Apple, Huawei, Lenovo, HP, Dell, Samsung and Google. It maintains the functionality of the connections, allowing you to change devices in the future without having to change the workplace solution infrastructure.



Fast and error-free installation

The product is delivered fully assembled and wired, with a 20 cm patch cord and a three-pole quick connector. Depending on the model, the components are connected using a "male-female" system, ensuring fast, precise, tool-free and error-free installation.



Design that adapts to any space

The Flash collection is available in two finishes, black and white, to blend seamlessly into any modern work environment.



Energy efficient and multi-brand compatible

The mini-dock power system is compatible with most computers that use USB-C for charging, including Apple, Huawei, Lenovo, HP, Dell, Samsung, Acer and Asus, to name just a few. **The power supply is supplied separately.**

 Windows
  MacOS
  Linux

 Android

HarmonyOS

Easy to use: Plug & Play without complications

No software or driver installation required. You can simply plug it in and start working, as it is fully compatible with the most widely used operating systems: Windows, MacOS, Linux, iPadOS, Android (OTG) and HarmonyOS.





1 / USB Type-C connector for charging:

Available in different intensities and with the most common charging protocols.

2 / Electric socket outlet with retractable cover:

It provides uniform appearance, preventing dust and small particles from settling at the bottom of the socket outlet.

3 / Removable front cover:

Allows users to maintain and reorient the product without uninstalling.

4 / With wiring access:

Allows simultaneous access to the most common wiring elements (keyboard, mouse, display, data, etc.) with rounded corners to prevent damage and a reducer design to keep the connector head visible and accessible.

5 / USB Type-C connector for VDM or charging:

Available with different functionalities depending on the model selected.

6 / Metal claws for a more robust fixing:

It gives more resistance to the set and is compatible with the most common furniture thicknesses (8-47 mm)

7 / Supply of assembled product and wiring:

Supplied "kit type" and terminated in a 20 cm patch cord and 3-pole quick connector.

8 / Connection of "male-female" components:

It joins the various components of the product without the need for any tools and allows users to replace or upgrade components without connection errors.

9 / Inclusion of drainage system at the base:

It eliminates the liquid that has entered the interior, thereby preventing it from accumulating and eventually restoring functionality.

10 / Machining in furniture with standard crown:

Commonly used cutting crowns of standard diameters allow for fast and error-free installation in the cutting gap during the machining phase.

11 / Iconography for identification of functionality:

Each range boasts various configurations with different features indicated by icons and markings (charging, full connectivity, etc.)

12 / Hide connections:

The Flash 90 and Flash 60 ranges have a protective cover to hide the connections and prevent the access of dust and small particles.

13 / Designed to take up as little space as possible:

Optimises the usable working area so that no element gets in the way.

Flash

FLASH RANGE 90 S400

WITH RETRACTABLE SCHUKO SOCKET OUTLET

	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>43331001</td><td>-130 -138</td><td>Kit with 1 retractable Schuko electrical socket outlet, 1 x 20 W USB Type-C charger and wiring outlet</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	43331001	-130 -138	Kit with 1 retractable Schuko electrical socket outlet, 1 x 20 W USB Type-C charger and wiring outlet
ART. NO.	FINISH	DESCRIPTION					
43331001	-130 -138	Kit with 1 retractable Schuko electrical socket outlet, 1 x 20 W USB Type-C charger and wiring outlet					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>43351001</td><td>-130 -138</td><td>Kit with 1 retractable Schuko electrical socket outlet, 1 x 100 W USB Type-C charger (65 W + 30 W) (if connected at the same time) and wire outlet</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	43351001	-130 -138	Kit with 1 retractable Schuko electrical socket outlet, 1 x 100 W USB Type-C charger (65 W + 30 W) (if connected at the same time) and wire outlet
ART. NO.	FINISH	DESCRIPTION					
43351001	-130 -138	Kit with 1 retractable Schuko electrical socket outlet, 1 x 100 W USB Type-C charger (65 W + 30 W) (if connected at the same time) and wire outlet					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>43332301</td><td>-130 -138</td><td>Kit with 1 retractable Schuko electrical socket outlet, 1 USB-C mini-dock(*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for projection, 1 USB Type-C 20 W charger and wiring outlet(**)</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	43332301	-130 -138	Kit with 1 retractable Schuko electrical socket outlet, 1 USB-C mini-dock(*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for projection, 1 USB Type-C 20 W charger and wiring outlet(**)
ART. NO.	FINISH	DESCRIPTION					
43332301	-130 -138	Kit with 1 retractable Schuko electrical socket outlet, 1 USB-C mini-dock(*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for projection, 1 USB Type-C 20 W charger and wiring outlet(**)					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>43333301</td><td>-130 -138</td><td>Kit with 1 retractable Schuko electrical socket outlet, 1 USB-C mini-dock(*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 2 HDMI 4 K connectors for simultaneous projection, 1 x 20 W USB Type-C charger and wire outlet(**)</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	43333301	-130 -138	Kit with 1 retractable Schuko electrical socket outlet, 1 USB-C mini-dock(*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 2 HDMI 4 K connectors for simultaneous projection, 1 x 20 W USB Type-C charger and wire outlet(**)
ART. NO.	FINISH	DESCRIPTION					
43333301	-130 -138	Kit with 1 retractable Schuko electrical socket outlet, 1 USB-C mini-dock(*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 2 HDMI 4 K connectors for simultaneous projection, 1 x 20 W USB Type-C charger and wire outlet(**)					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>43390003</td><td>-030 -038</td><td>15 W Wireless Charger IP43 with Qi charging protocol</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	43390003	-030 -038	15 W Wireless Charger IP43 with Qi charging protocol
ART. NO.	FINISH	DESCRIPTION					
43390003	-030 -038	15 W Wireless Charger IP43 with Qi charging protocol					

(*) The product includes a USB Type-C mini-dock to computer patch cord
 (**) Power supply is supplied separately

FLASH RANGE 90 S400

WITH RETRACTABLE FRANCO-BELGIAN SOCKET OUTLET

	ART. NO.	FINISH	DESCRIPTION
	43331001	-230 -238	Kit with 1 retractable French-Belgian electrical socket outlet, 1 20 W USB Type-C charger and wire outlet
	ART. NO.	FINISH	DESCRIPTION
	43351001	-230 -238	Kit with 1 retractable French-Belgian electrical socket outlet, 1 x 100 W USB Type-C charger divided in 65 W + 30 W (if connected at the same time) and wire outlet
	ART. NO.	FINISH	DESCRIPTION
	43332301	-230 -238	Kit with 1 retractable French-Belgian electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for projection, 1 20 W USB Type-C charger and wire outlet(**)
	ART. NO.	FINISH	DESCRIPTION
	43333301	-230 -238	Kit with 1 retractable French-Belgian electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit LAN connector, 2 HDMI 4 K connectors for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)
	ART. NO.	FINISH	DESCRIPTION
	43390003	-030 -038	15 W Wireless Charger IP43 with Qi charging protocol

(*) The product includes a USB Type-C mini-dock to computer patch cord
(**) Power supply is supplied separately

FLASH RANGE 90 K45

WITH NON-RETRACTABLE SCHUKO SOCKET OUTLET

	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3310023</td><td>/9 /14</td><td>Kit with 1 non-retractable Schuko electrical socket outlet, 1 USB Type-C charger 20 W and 1 RJ45 category 6 UTP connector</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3310023	/9 /14	Kit with 1 non-retractable Schuko electrical socket outlet, 1 USB Type-C charger 20 W and 1 RJ45 category 6 UTP connector
ART. NO.	FINISH	DESCRIPTION					
KR3310023	/9 /14	Kit with 1 non-retractable Schuko electrical socket outlet, 1 USB Type-C charger 20 W and 1 RJ45 category 6 UTP connector					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3310013</td><td>/9 /14</td><td>Kit with 1 non-retractable Schuko electrical socket outlet, 1 USB Type-C charger 20 W and 1 housing for Keystone snap-fit connector</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3310013	/9 /14	Kit with 1 non-retractable Schuko electrical socket outlet, 1 USB Type-C charger 20 W and 1 housing for Keystone snap-fit connector
ART. NO.	FINISH	DESCRIPTION					
KR3310013	/9 /14	Kit with 1 non-retractable Schuko electrical socket outlet, 1 USB Type-C charger 20 W and 1 housing for Keystone snap-fit connector					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3510001</td><td>/9 /14</td><td>Kit with 1 non-retractable Schuko electrical socket outlet, 1 USB Type-C charger 100 W divided into 65 W + 30 W (if connected at the same time) and wire outlet</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3510001	/9 /14	Kit with 1 non-retractable Schuko electrical socket outlet, 1 USB Type-C charger 100 W divided into 65 W + 30 W (if connected at the same time) and wire outlet
ART. NO.	FINISH	DESCRIPTION					
KR3510001	/9 /14	Kit with 1 non-retractable Schuko electrical socket outlet, 1 USB Type-C charger 100 W divided into 65 W + 30 W (if connected at the same time) and wire outlet					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3311301</td><td>/9 /14</td><td>Kit with 1 non-retractable Schuko electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit LAN connector, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3311301	/9 /14	Kit with 1 non-retractable Schuko electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit LAN connector, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)
ART. NO.	FINISH	DESCRIPTION					
KR3311301	/9 /14	Kit with 1 non-retractable Schuko electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit LAN connector, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>43390003</td><td>-030 -038</td><td>15 W Wireless Charger IP43 with Qi charging protocol</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	43390003	-030 -038	15 W Wireless Charger IP43 with Qi charging protocol
ART. NO.	FINISH	DESCRIPTION					
43390003	-030 -038	15 W Wireless Charger IP43 with Qi charging protocol					

(*) The product includes a USB Type-C mini-dock to computer patch cord
 (**) Power supply is supplied separately

FLASH RANGE 90 K45

WITH NON RETRACTABLE FRANCO-BELGIAN SOCKET OUTLET

	ART. NO. KR3320023	FINISH /9 /14	DESCRIPTION Kit with 1 non-retractable French-Belgian electrical socket outlet, 1 20 W USB Type-C charger and 1 RJ45 category 6 UTP connector
	ART. NO. KR3320013	FINISH /9 /14	DESCRIPTION Kit with 1 non-retractable French-Belgian electrical socket outlet, 1 USB Type-C 20 W charger and 1 housing for Keystone snap-fit connector
	ART. NO. KR3520001	FINISH /9 /14	DESCRIPTION Kit with 1 non-retractable French-Belgian electrical socket outlet, 1 x 100 W USB Type-C charger split into 65 W + 30 W (if connected at the same time) and wire outlet
	ART. NO. KR3321301	FINISH /9 /14	DESCRIPTION Kit with 1 non-retractable French-Belgian electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)
	ART. NO. 43390003	FINISH -030 -038	DESCRIPTION 15 W Wireless Charger IP43 with Qi charging protocol

(*) The product includes a USB Type-C mini-dock to computer patch cord
(**) Power supply is supplied separately

FLASH RANGE 90 K45

WITH A NON-RETRACTABLE ISRAELI SOCKET OUTLET

	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3330023</td><td>/9 /14</td><td>Kit with 1 non-retractable Israeli electrical socket outlet, 1 20 W USB Type-C charger and 1 RJ45 UTP category 6 connector</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3330023	/9 /14	Kit with 1 non-retractable Israeli electrical socket outlet, 1 20 W USB Type-C charger and 1 RJ45 UTP category 6 connector
ART. NO.	FINISH	DESCRIPTION					
KR3330023	/9 /14	Kit with 1 non-retractable Israeli electrical socket outlet, 1 20 W USB Type-C charger and 1 RJ45 UTP category 6 connector					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3330013</td><td>/9 /14</td><td>Kit with 1 non-retractable Israeli electrical socket outlet, 1 USB Type-C 20 W charger and 1 housing for Keystone snap-fit connector</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3330013	/9 /14	Kit with 1 non-retractable Israeli electrical socket outlet, 1 USB Type-C 20 W charger and 1 housing for Keystone snap-fit connector
ART. NO.	FINISH	DESCRIPTION					
KR3330013	/9 /14	Kit with 1 non-retractable Israeli electrical socket outlet, 1 USB Type-C 20 W charger and 1 housing for Keystone snap-fit connector					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3530001</td><td>/9 /14</td><td>Kit with 1 non-retractable Israeli electrical socket outlet, 1 x 100 W USB Type-C charger split into 65 W + 30 W (if connected at the same time) and wire outlet</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3530001	/9 /14	Kit with 1 non-retractable Israeli electrical socket outlet, 1 x 100 W USB Type-C charger split into 65 W + 30 W (if connected at the same time) and wire outlet
ART. NO.	FINISH	DESCRIPTION					
KR3530001	/9 /14	Kit with 1 non-retractable Israeli electrical socket outlet, 1 x 100 W USB Type-C charger split into 65 W + 30 W (if connected at the same time) and wire outlet					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3331301</td><td>/9 /14</td><td>Kit with 1 non-retractable Israeli electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit LAN connector, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3331301	/9 /14	Kit with 1 non-retractable Israeli electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit LAN connector, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)
ART. NO.	FINISH	DESCRIPTION					
KR3331301	/9 /14	Kit with 1 non-retractable Israeli electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit LAN connector, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>43390003</td><td>-030 -038</td><td>15 W Wireless Charger IP43 with Qi charging protocol</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	43390003	-030 -038	15 W Wireless Charger IP43 with Qi charging protocol
ART. NO.	FINISH	DESCRIPTION					
43390003	-030 -038	15 W Wireless Charger IP43 with Qi charging protocol					

(*) The product includes a USB Type-C mini-dock to computer patch cord
 (**) Power supply is supplied separately

FLASH RANGE 90 K45

WITH NON-RETRACTABLE UK SOCKET OULET

	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3340023</td><td>/9 /14</td><td>Kit with 1 non-retractable UK electrical socket outlet, 1 x 20 W USB Type-C charger and 1 x RJ45 Category 6 UTP connector</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3340023	/9 /14	Kit with 1 non-retractable UK electrical socket outlet, 1 x 20 W USB Type-C charger and 1 x RJ45 Category 6 UTP connector
ART. NO.	FINISH	DESCRIPTION					
KR3340023	/9 /14	Kit with 1 non-retractable UK electrical socket outlet, 1 x 20 W USB Type-C charger and 1 x RJ45 Category 6 UTP connector					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3340013</td><td>/9 /14</td><td>Kit with 1 non-retractable UK electrical socket outlet, 1 x 20 W USB Type-C charger and 1 x housing for Keystone snap-fit connector</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3340013	/9 /14	Kit with 1 non-retractable UK electrical socket outlet, 1 x 20 W USB Type-C charger and 1 x housing for Keystone snap-fit connector
ART. NO.	FINISH	DESCRIPTION					
KR3340013	/9 /14	Kit with 1 non-retractable UK electrical socket outlet, 1 x 20 W USB Type-C charger and 1 x housing for Keystone snap-fit connector					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3540001</td><td>/9 /14</td><td>Kit with 1 non-retractable UK electrical socket outlet, 1 x 100 W USB Type-C charger split into 65 W + 30 W (if connected at the same time) and wire outlet</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3540001	/9 /14	Kit with 1 non-retractable UK electrical socket outlet, 1 x 100 W USB Type-C charger split into 65 W + 30 W (if connected at the same time) and wire outlet
ART. NO.	FINISH	DESCRIPTION					
KR3540001	/9 /14	Kit with 1 non-retractable UK electrical socket outlet, 1 x 100 W USB Type-C charger split into 65 W + 30 W (if connected at the same time) and wire outlet					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3341301</td><td>/9 /14</td><td>Kit with 1 non-retractable UK electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3341301	/9 /14	Kit with 1 non-retractable UK electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)
ART. NO.	FINISH	DESCRIPTION					
KR3341301	/9 /14	Kit with 1 non-retractable UK electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>43390003</td><td>-030 -038</td><td>15 W Wireless Charger IP43 with QI charging protocol</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	43390003	-030 -038	15 W Wireless Charger IP43 with QI charging protocol
ART. NO.	FINISH	DESCRIPTION					
43390003	-030 -038	15 W Wireless Charger IP43 with QI charging protocol					

(*) The product includes a USB Type-C mini-dock to computer patch cord
 (**) Power supply is supplied separately

FLASH RANGE 90 K45

WITH ITALIAN NON-RETRACTABLE SOCKET OUTLET

	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3350023</td><td>/9 /14</td><td>Kit with 1 non-retractable Italian electrical socket outlet, 1 20 W USB Type-C charger and 1 RJ45 category 6 UTP connector</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3350023	/9 /14	Kit with 1 non-retractable Italian electrical socket outlet, 1 20 W USB Type-C charger and 1 RJ45 category 6 UTP connector
ART. NO.	FINISH	DESCRIPTION					
KR3350023	/9 /14	Kit with 1 non-retractable Italian electrical socket outlet, 1 20 W USB Type-C charger and 1 RJ45 category 6 UTP connector					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3350013</td><td>/9 /14</td><td>Kit with 1 non-retractable Italian electrical socket outlet, 1 USB Type-C 20 W charger and 1 housing for Keystone snap-fit connector</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3350013	/9 /14	Kit with 1 non-retractable Italian electrical socket outlet, 1 USB Type-C 20 W charger and 1 housing for Keystone snap-fit connector
ART. NO.	FINISH	DESCRIPTION					
KR3350013	/9 /14	Kit with 1 non-retractable Italian electrical socket outlet, 1 USB Type-C 20 W charger and 1 housing for Keystone snap-fit connector					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3550001</td><td>/9 /14</td><td>Kit with 1 non-retractable Italian electric socket outlet, 1 USB Type-C charger 100 W split into 65 W + 30 W (if connected at the same time) and wire outlet</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3550001	/9 /14	Kit with 1 non-retractable Italian electric socket outlet, 1 USB Type-C charger 100 W split into 65 W + 30 W (if connected at the same time) and wire outlet
ART. NO.	FINISH	DESCRIPTION					
KR3550001	/9 /14	Kit with 1 non-retractable Italian electric socket outlet, 1 USB Type-C charger 100 W split into 65 W + 30 W (if connected at the same time) and wire outlet					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>KR3351301</td><td>/9 /14</td><td>Kit with 1 non-retractable Italian electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3351301	/9 /14	Kit with 1 non-retractable Italian electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)
ART. NO.	FINISH	DESCRIPTION					
KR3351301	/9 /14	Kit with 1 non-retractable Italian electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)					
	<table><tr><th>ART. NO.</th><th>FINISH</th><th>DESCRIPTION</th></tr><tr><td>43390003</td><td>-030 -038</td><td>15 W Wireless Charger IP43 with Qi charging protocol</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	43390003	-030 -038	15 W Wireless Charger IP43 with Qi charging protocol
ART. NO.	FINISH	DESCRIPTION					
43390003	-030 -038	15 W Wireless Charger IP43 with Qi charging protocol					

(*) The product includes a USB Type-C mini-dock to computer patch cord
 (**) Power supply is supplied separately

FLASH RANGE 90 K45

WITH NON-RETRACTABLE DANISH BASE

	ART. NO. KR3360023	FINISH /9 /14	DESCRIPTION Kit with 1 non-retractable Danish electrical socket outlet, 1 20 W USB Type-C charger and 1 RJ45 category 6 UTP connector
	ART. NO. KR3360013	FINISH /9 /14	DESCRIPTION Kit with 1 non-retractable Danish electrical socket outlet, 1 USB Type-C 20 W charger and 1 housing for Keystone snap-fit connector
	ART. NO. KR3560001	FINISH /9 /14	DESCRIPTION Kit with 1 non-retractable Danish socket outlet, 1 x 100 W USB Type-C charger split into 65 W + 30 W (if connected at the same time) and wire outlet
	ART. NO. KR3361301	FINISH /9 /14	DESCRIPTION Kit with 1 non-retractable Danish electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)
	ART. NO. 43390003	FINISH -030 -038	DESCRIPTION 15 W Wireless Charger IP43 with Qi charging protocol

(*) The product includes a USB Type-C mini-dock to computer patch cord
 (**) Power supply is supplied separately

FLASH RANGE 90 K45

WITH NON-RETRACTABLE SOUTH AFRICAN SOCKET OUTLET

	ART. NO. KR3370023	FINISH /9 /14	DESCRIPTION Kit with 1 non-retractable South African electrical socket outlet, 1 USB Type-C 20 W charger and 1 RJ45 category 6 UTP connector
	ART. NO. KR3370013	FINISH /9 /14	DESCRIPTION Kit with 1 non-retractable South African electrical socket, 1 USB Type-C 20 W charger and 1 housing for Keystone snap-fit connector
	ART. NO. KR3570001	FINISH /9 /14	DESCRIPTION Kit with 1 non-retractable South African electrical socket outlet, 1 x 100 W USB Type-C charger split into 65 W + 30 W (if connected at the same time) and wire outlet
	ART. NO. KR3371301	FINISH /9 /14	DESCRIPTION Kit with 1 non-retractable South African electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit LAN connector, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C 20 W charger and wire outlet (**)
	ART. NO. 43390003	FINISH -030 -038	DESCRIPTION 15 W Wireless Charger IP43 with Qi charging protocol

(*) The product includes a USB Type-C mini-dock to computer patch cord
 (**) Power supply is supplied separately

FLASH RANGE 90 K45

WITH NON-RETRACTABLE SWISS SOCKET OUTLET

	<table><tr><td>ART. NO.</td><td>FINISH</td><td>DESCRIPTION</td></tr><tr><td>KR3380023</td><td>/9 /14</td><td>Kit with 1 non-retractable Swiss electrical socket outlet, 1 20 W USB Type-C charger and 1 RJ45 UTP category 6 connector</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3380023	/9 /14	Kit with 1 non-retractable Swiss electrical socket outlet, 1 20 W USB Type-C charger and 1 RJ45 UTP category 6 connector
ART. NO.	FINISH	DESCRIPTION					
KR3380023	/9 /14	Kit with 1 non-retractable Swiss electrical socket outlet, 1 20 W USB Type-C charger and 1 RJ45 UTP category 6 connector					
	<table><tr><td>ART. NO.</td><td>FINISH</td><td>DESCRIPTION</td></tr><tr><td>KR3380013</td><td>/9 /14</td><td>Kit with 1 non-retractable Swiss electrical socket, 1 USB Type-C 20 W charger and 1 housing for Keystone snap-fit connector</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3380013	/9 /14	Kit with 1 non-retractable Swiss electrical socket, 1 USB Type-C 20 W charger and 1 housing for Keystone snap-fit connector
ART. NO.	FINISH	DESCRIPTION					
KR3380013	/9 /14	Kit with 1 non-retractable Swiss electrical socket, 1 USB Type-C 20 W charger and 1 housing for Keystone snap-fit connector					
	<table><tr><td>ART. NO.</td><td>FINISH</td><td>DESCRIPTION</td></tr><tr><td>KR3580001</td><td>/9 /14</td><td>Kit with 1 non-retractable Swiss electrical socket outlet, 1 x 100 W USB Type-C charger (65 W+30 W) (if connected at the same time) and wire outlet</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3580001	/9 /14	Kit with 1 non-retractable Swiss electrical socket outlet, 1 x 100 W USB Type-C charger (65 W+30 W) (if connected at the same time) and wire outlet
ART. NO.	FINISH	DESCRIPTION					
KR3580001	/9 /14	Kit with 1 non-retractable Swiss electrical socket outlet, 1 x 100 W USB Type-C charger (65 W+30 W) (if connected at the same time) and wire outlet					
	<table><tr><td>ART. NO.</td><td>FINISH</td><td>DESCRIPTION</td></tr><tr><td>KR3381301</td><td>/9 /14</td><td>Kit with 1 non-retractable Swiss electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C charger 20 W and wire outlet (**)</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	KR3381301	/9 /14	Kit with 1 non-retractable Swiss electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C charger 20 W and wire outlet (**)
ART. NO.	FINISH	DESCRIPTION					
KR3381301	/9 /14	Kit with 1 non-retractable Swiss electrical socket outlet, 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for simultaneous projection, 1 USB Type-C charger 20 W and wire outlet (**)					
	<table><tr><td>ART. NO.</td><td>FINISH</td><td>DESCRIPTION</td></tr><tr><td>43390003</td><td>-030 -038</td><td>15 W Wireless Charger IP43 with Qi charging protocol</td></tr></table>	ART. NO.	FINISH	DESCRIPTION	43390003	-030 -038	15 W Wireless Charger IP43 with Qi charging protocol
ART. NO.	FINISH	DESCRIPTION					
43390003	-030 -038	15 W Wireless Charger IP43 with Qi charging protocol					

(*) The product includes a USB Type-C mini-dock to computer patch cord
 (**) Power supply is supplied separately

FLASH RANGE 60 S400

WITHOUT ELECTRICAL SOCKET OUTLET

	ART. NO. 43100004	FINISH -030 -038	DESCRIPTION Kit with wiring outlet
	ART. NO. 43120200	FINISH -130 -138	DESCRIPTION 18 W USB-A+C 18 W charger kit with Fast Charge charging protocol
	ART. NO. 43150001	FINISH -030 -038	DESCRIPTION Kit with 1 x 100 W USB Type-C charger split into 65 W + 30 W (when connected together) and wiring outlet
	ART. NO. 43134001	FINISH -030 -038	DESCRIPTION Kit with 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN, 1 HDMI 4 K connector for projection, 1 USB Type-C 20 W charger and wire outlet (**)

ACCESSORIES

	ART. NO. 43100002	FINISH -130 -138	DESCRIPTION Protective cover for 18 W USB-A+C charger A+C
---	-----------------------------	----------------------------	--

(*) The product includes a USB Type-C mini-dock to computer patch cord
 (**) Power supply is supplied separately

FLASH RANGE 60 S400

WITH ELECTRICAL SOCKET OUTLET



ART. NO.	FINISH	DESCRIPTION
43101002	-130 -138	Kit with Schuko electrical socket outlet



ART. NO.	FINISH	DESCRIPTION
43101002	-230 -238	Kit with Franco-Belgian electrical socket outlet

ACCESSORIES



ART. NO.	FINISH	DESCRIPTION
43100001	-130 -138	Protective cover for Schuko and Franco-Belgian electrical sockets

(*) The product includes a USB Type-C mini-dock to computer patch cord
 (**) Power supply is supplied separately

FLASH RANGE 30 S400

WITHOUT ELECTRICAL SOCKET OUTLET



ART. NO.	FINISH	DESCRIPTION
43210003	-030 -038	Kit with 1 x 20 WUSB Type-C charger



ART. NO.	FINISH	DESCRIPTION
43240003	-030 -038	Kit with 1 x 100 WUSB Type-C charger



ART. NO.	FINISH	DESCRIPTION
43204303	-030 -038	Kit with 1 USB-C mini-dock (*) with 3 USB Type-A connectors, 1 RJ45 Gigabit connector for LAN and 1 HDMI 4 K connector for projection (**)

FLASH RANGE 90 S400

ACCESSORIES

	ART. NO.	FINISH	DESCRIPTION
	43300009	-030 -038	Protective cover
Next release			

FLASH RANGE 90 K45

ACCESSORIES

	ART. NO.	FINISH	DESCRIPTION
	KR3000009	/9 /14	Protective cover
Next release			

FLASH RANGE 90 K45

ACCESSORIES



ART. NO.	FINISH	DESCRIPTION
CJ645UFW	-	RJ45 data connector category 6 UTP and "female-to-female" connection with white keystone snap-fit



ART. NO.	FINISH	DESCRIPTION
CJ645UF	-	RJ45 data connector category 6 UTP and "female-to-female" connection with black keystone snap-fit



ART. NO.	FINISH	DESCRIPTION
CJ645FF	-	RJ45 data connector category 6 FTP and "female-to-female" connection with keystone snap-fit

FLASH RANGE 90 K45

ACCESSORIES

	ART. NO.	FINISH	DESCRIPTION
	CJHDMIA21FW	-	HDMI multimedia connector rev. 2.1 and "female-female" connection with white keystone snap-fit
	ART. NO.	FINISH	DESCRIPTION
	CJHDMIA21F	-	HDMI multimedia connector rev. 2.1 and "female-female" connection with black keystone snap-fit
Next release	ART. NO.	FINISH	DESCRIPTION
	CJDPOR1XFW	-	Mini DisplayPort to DisplayPort media connector rev. 2.1 and "female-female" connection with white keystone snap-fit
Next release	ART. NO.	FINISH	DESCRIPTION
	CJDPOR1XF	-	Mini DisplayPort to DisplayPort media connector rev. 2.1 and "female-female" connection with black keystone snap-fit
	ART. NO.	FINISH	DESCRIPTION
	CJUSBA30FW	-	USB 3.0 Type-A data connector and "female-female" connection with white keystone snap-fit
	ART. NO.	FINISH	DESCRIPTION
	CJUSBA30F	-	USB 3.0 Type-A data connector and "female-to-female" connection with black keystone snap-fit
	ART. NO.	FINISH	DESCRIPTION
	CJUSBC32FW	-	USB 3.2 Type-C data connector and "female-female" connection with white keystone snap-fit
	ART. NO.	FINISH	DESCRIPTION
	CJUSBC32F	-	USB 3.2 Type-C data connector and "female-female" connection with black keystone snap-fit

(*) The product includes a USB Type-C mini-dock to computer patch cord

(**) Power supply is supplied separately

FLASH 90 RANGES WITH MINI-DOCK

ACCESSORIES

	ART. NO.	FINISH	DESCRIPTION
	CR6100121150201	/14	USB-C 100 W PD power supply with 3-pole quick-disconnect terminating patch cord Necessary to power S400 and K45 kits with mini-dock
	ART. NO.	FINISH	DESCRIPTION
	MU222215	-	HDMI patch cord rev. 2.0 with male-male connectors, 1.5 metres long and compatible with 4 K@60 Hz resolutions

FLASH 90, FLASH 60 AND FLASH 30 RANGES

ACCESSORIES

	ART. NO.	FINISH	DESCRIPTION
	CR6020	/14	2 m-long LSZH "female-Schuko" quick-connect patch cord with 3 x 2.5 mm ² cross-section
	CR1020	/14	2 m-long PVC "female-Schuko" quick-connect patch cord with 3 x 1.5 mm ² cross-section
	ART. NO.	FINISH	DESCRIPTION
	CR4020	/14	2 m-long LSZH "free end-female" quick-connect patch cord with 3 x 2.5 mm ² cross-section
	ART. NO.	FINISH	DESCRIPTION
	CR2010	/14	1 m-long LSZH "female-male" quick-connect patch cord with 3 x 2.5 mm ² cross-section
	CR2020	/14	2 m-long LSZH quick-disconnect patch cord "female-male" with 3 x 2.5 mm ² cross-section
	CR2030	/14	3 m-long LSZH male-female quick-connect patch cord with 3 x 2.5 mm ² cross-section
	CR2040	/14	4 m-long LSZH "female-male" quick-connect patch cord with 3 x 2.5 mm ² cross-section

FLASH 90 RANGES WITH MINI-DOCK

REPLACEMENTS



ART. NO.	FINISH	DESCRIPTION
CLUSBC32GEN2	-	USB Type-C patch cord rev. 3.2 with male-male connectors, length 2 metres, specifically connecting mini-dock to computer



Example of assembly




ART. NO.	FINISH	QUANTITY	DESCRIPTION
43332301	-138	1	Kit Flash 90 S400 with retractable Schuko socket outlet and mini-dock 1 HDMI outlet
CR6100121150201	/14	1	USB-C 100 W PD Power Supply
CR6020	/14	1	2 m-long female-Schuko socket outlet quick-connection patch cord

Technical information

SIMON 400

FLASH 90, FLASH 60 AND FLASH 30 FOR INSTALLATION IN FURNITURE




- Product designed in compliance with the safety requirements of Directive 2006/95/EC (Low Voltage) via the UNE-EN 60.670-23 standard
- Marked product 
- Product manufactured using thermoplastic, self-extinguishing and halogen-free materials, which guarantee no flame propagation in case of fire and low toxicity in case of smoke emission.
- Insulation resistance > 5 MΩ to 500 V
- IP:4X protection rating against dust and liquids IP:4X
- Temperature range during installation: -5° to +60 °C.
- Max. temp. during construction work: +60 °C
- Electrical strength: No holes or contours, with 2000 V. 50 Hz for 1 minute.



SIMON K45

FLASH 90 FOR INSTALLATION IN FURNITURE

- Product designed in compliance with the safety requirements of Directive 2006/95/EC (Low Voltage) via the UNE-EN 60.670-23 standard
- Marked product **CE**
- Product manufactured using thermoplastic materials, self-extinguishing and halogen-free, which prevent fires from spreading and ensure low toxicity in case of smoke emission
- Insulation resistance > 5 MΩ to 500 V
- IP:4X protection rating against dust and liquids IP:4X
- Temperature range during installation: -5° to +60 °C.
- Max. temp. during construction work: +60 °C
- Electrical strength: No holes or contours, with 2000 V. 50 Hz for 1 minute.




SIMON 400 + SIMON K45

FLASH VERSIONS WITH MINI-DOCK


- Full simultaneous connectivity mini-dock (data transmission, charging, USB connectivity and screen projection) with 100 W USB-C PD IN charging port.
- Marked product 
- Technical features: Product connection via USB Type-C connector
 - 3 USB ports
 - Type-A revision 3.0 with maximum speed of 5 Gbps
 - 1 RJ45 1 Gbps / 100 Mbps / 10 Mbps Ethernet port (equivalent to RJ45 Category 6 UTP)
 - 1 or 2 HDMI revision 2.0 ports (depending on model) compatible with resolutions up to 4 K@60 Hz*
- Consumption: 15 W

DIMENSIONS OF MINI DOCKS:

1 HDMI OUTLET



2 HDMI OUTLETS



(*) the mini-dock version with 2 HDMI outlets incorporates:


- 1 connector with 4 k @ 60 Hz resolution
- 1 connector with 4 k @ 30 Hz resolution

POWER SUPPLY FOR MINI-DOCK VERSIONS

- Charging power supply with 100 W USB Type-C PD connector for combining with mini-dock versions.
 - Marked product **CE**
 - Entry: AC 100-240 V~ 50/60 Hz 2.3 A (Max)
 - Outlet: USB Type-C port DC 5.0 V-20.0 V 5.0 A (Max) / 100 W
USB Type-A port DC 5.0 V 2.4 A (Max) / 12 W
 - Incorporates rectifier technology to increase fast charging efficiency by converting voltage fluctuations into stable voltage reaching a power delivery of up to 100 W +12 W.
 - Includes overcurrent, overvoltage, short-circuit and overheating protection.
 - Manufactured from the highest quality materials and subjected to rigorous performance testing to ensure device remains safe and fully charged.
 - RoHS, CE and FCC certified
 - Compatible with Apple, Samsung, Dell, HP, Huawei, Lenovo, Asus, Acer and most laptops with connector-based power supply system USB Type-C
-


Art. No:

CR6100121150201/14




FLASH VERSIONS WITH USB TYPE-C 100 W CHARGER

- Dual charger with 100 W GaN technology via two USB ports.
 - Marked product **CE**
 - Product with GaN technology reduces heat generation and makes charging more efficient.
 - It has an integrated AI algorithm to intelligently allocate power to each port.
 - Maximum output of 100 W when only the USB Type-C port indicated on the product is connected.
When both USB connectors are plugged in at the same time, the 100 W is split into 65 W + 30 W.
 - Technical features:
Entry: AC 100-240 V~ 50/60 Hz 2.0 A (Max)
Exit: USB Type-C port DC 5.0 V 3.0 A - DC 9.0 V 3.0 A - DC 12.0 V 3.0 A - DC 15.0 V 3.0 A - DC 20.0 V 3.25 A - DC 20.0 V 5.0 A
USB Type-A port DC 5.0 V 3.0 A - DC 9.0 V 3.0 A - DC 12.0 V 2.5 A
Total output: 100 W Max.
 - Includes overcurrent, overvoltage, short-circuit and overheating protection.
 - Manufactured from the highest quality materials and subjected to rigorous performance testing to ensure device remains safe and fully charged.
 - RoHS, CE and FCC certified
 - Compatible with Apple, Samsung, Dell, HP, Huawei, Lenovo, Asus, Acer and most laptops with connector-based power supply system
USB Type-C
-



FLASH VERSIONS WITH USB TYPE-C 20 W CHARGER

- Charger with Fast Charge and 20 W Power Delivery charging protocols via USB Type-C port.
 - Marked product 
 - It has a chip to regulate the energy needed the device needs for charging.
 - Maximum output of 20 W when only the USB Type-C port indicated on the product is connected.
 - Technical features:
 - Entry: AC 100-240 V~ 50/60 Hz 3.0 A (Max)
 - Exit: USB Type-C port DC 5.0 V 3.0 A - DC 9.0 V 2.2 A - DC 12.0 V 1.7 A
 - Total output: 20 W Max.
 - Includes overcurrent, overvoltage, short-circuit and overheating protection.
 - Manufactured from the highest quality materials and subjected to rigorous testing to ensure device remains safe and fully charged.
-





www.simonelectric.com



SIMON S.A.U.

Sancho de Ávila, 66
08018 Barcelona
Tel. (+34) 651 761 336

Technical Assistance Service

Tel. (+34) 651 761 346
E-mail: sat@simon.es

Projects Department

Tel. (+34) 651 761 346
E-mail: proyectos@simon.es

Customer Service

Tel. (+34) 651 761 314

Visit us at:

La Casa de la Luz

Santa Cruz de Marcenado, 1
28015 Madrid
Appointments:
lacasadelaluz@simonelectric.com

La Casa de la Llum

Sancho de Ávila, 66
08018 Barcelona
Appointments:
Tel. (+34) 630 927 001
lacasadelallum@simonelectric.com